



**SANTA-FE™**  
INDOOR AIR QUALITY SOLUTIONS

**2023**  
**PRODUCT CATALOG**



# PIONEERS OF INDOOR AIR QUALITY SOLUTIONS.

**AT SANTA FE, WE ARE FOCUSED ON THE FRONT LINE IN DEFENSE – THE BIG 3: DEHUMIDIFICATION, FILTRATION AND VENTILATION.**

## **DEHUMIDIFICATION**

When a home has too much moisture, it becomes a breeding ground for pests and a trigger for indoor pollutants such as dust, pollen, mold spores and bacteria. It can put the home's structural integrity, as well as the occupant's comfort, at risk.

Our innovative dehumidifiers properly maintain humidity levels – regardless of how hot it is outside and how much moisture is already in your home. At the same time, our superior filtration helps remove indoor pollutants.



## **VENTILATION**

Santa Fe's Ultra Series whole house ventilating dehumidifiers provide the additional benefit of outdoor mechanical supply ventilation that is filtered through a MERV-13 filter.

## **INDUSTRY-LEADING WARRANTY.**

To say we stand behind our products is an understatement. While most manufacturers offer only a 1-year warranty, every Santa Fe dehumidifier is backed with an industry-leading 6-year warranty.\*

## **FILTERED TO THE HIGHEST STANDARDS OF FRESH.**

Over a 6-year period, MERV-13 filters will remove two pounds of dust, pollen, mold spores, pet dander, and bacteria from the air in a home.\*\* In comparison, big-box units have MERV-4 or washable filters, which only remove 7 ounces of material from the air over the same period of time.

\* The UltraMD33 carries a 4-year warranty.

\*\* Based on regularly changing your air filter: see instructional manual for more information.



Small but tough, the **Compact Series** and **Advance Series** fit into tight spaces where other dehumidifiers simply can't. Extremely powerful and efficient, they tackle excess humidity to curb harmful mold growth in the harshest of conditions.

### ► COMPACT70



- + **MODEL:** 4033600
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **CRAWLSPACES:** UP TO 1,800 SQ. FT. - 2,600 SQ. FT.
  - **BASEMENTS:** UP TO 1,800 SQ. FT. - 2,200 SQ. FT.
- + **DIMENSIONS:** 12"W X 12"H X 21"D
- + **PINT CAPACITY:** 70 PINTS / 8.75 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO
- + **CONTROL:** ON-BOARD DEHUMIDISTAT

### ► ADVANCE90



- + **MODEL:** 4034180
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.88 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **CRAWLSPACES:** UP TO 2,200 SQ. FT. - 3,000 SQ. FT.
  - **BASEMENTS:** UP TO 2,200 SQ. FT. - 2,600 SQ. FT.
- + **DIMENSIONS:** 14.5"W X 19.4"H X 26"D
- + **PINT CAPACITY:** 90 PINTS / 11.25 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO
- + **CONTROL:** ON-BOARD DEHUMIDISTAT

Our most versatile and energy-efficient dehumidifier, the **Oasis105**, is perfect for a wide range of applications, including basements, attics, and crawl spaces. It features onboard digital controls, variable speed fan, dew point cut out, and a low maintenance positive pressure condensate drain.

### ► OASIS105



- + **MODEL:** 4041850
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 3.55 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **CRAWLSPACES:** UP TO 3,300 SQ. FT.
  - **BASEMENTS:** UP TO 2,600 SQ. FT.
- + **DIMENSIONS:** 16"W X 14.5"H X 24"D
- + **PINT CAPACITY:** 105 PINTS / 13.125 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO
- + **CONTROL:** ON-BOARD DEHUMIDISTAT OR LOW-VOLTAGE CONTROLLER



Our **Impact Series** large-capacity dehumidifiers are tough, powerful and built to take on any job in any application.

### ► IMPACT155



- + **MODEL:** 4031470
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 3.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **CRAWLSPACES:** UP TO 3,600 SQ. FT. - 4,400 SQ. FT.
  - **BASEMENTS:** UP TO 3,800 SQ. FT. - 4,000 SQ. FT.
- + **DIMENSIONS:** 20.25"W X 21.75"H X 38"D
- + **PINT CAPACITY:** 155 PINTS / 19.3 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO
- + **CONTROL:** ON-BOARD DEHUMIDISTAT

Powerful, efficient and boasting a streamlined look, our **Classic Series** is essential for any basement or finished space. Popular and proven, it receives some of our highest customer ratings.

### ► CLASSIC



- + **MODEL:** 4029700
- + **OPERATING TEMPERATURE:** 56°F - 95°F
- + **ENERGY FACTOR:** 3.0 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:**
  - **BASEMENTS:** UP TO 2,500 SQ. FT. - 2,900 SQ. FT.
- + **DIMENSIONS:** 20"W X 36"H X 17"D
- + **PINT CAPACITY:** 110 PINTS / 13.75 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO
- + **CONTROL:** ON-BOARD DEHUMIDISTAT



The **Ultra Series** offers the ultimate protection. Designed with dedicated ducting for whole house dehumidification and ventilation options.

### ▶ ULTRA70H



- + **MODEL:** 4033730
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 1,800 SQ. FT. / 18,000 CU. FT.
- + **DIMENSIONS:** 12"W X 12"H X 28"D
- + **PINT CAPACITY:** 70 PINTS / 8.75 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL
- + **CONTROL:** ON-BOARD DEHUMIDISTAT OR LOW-VOLTAGE CONTROLLER

### ▶ ULTRA98



- + **MODEL:** 4034240
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.95 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 2,300 SQ. FT. / 23,000 CU. FT.
- + **DIMENSIONS:** 14.5"W X 19.5"H X 32.38"D
- + **PINT CAPACITY:** 98 PINTS / 12.25 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL
- + **CONTROL:** LOW-VOLTAGE CONTROLLER REQUIRED

"V" for Vertical – the **Ultra120V** is the only vertical, ventilating dehumidifier on the market. This dehumidifier, which features superior filtration, is ideal for basements, mechanical rooms and large attics where floor space is limited.

### ▶ ULTRA120V



- + **MODEL:** 4036400
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 3.6 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 3,000 SQ. FT. / 30,000 CU. FT.
- + **DIMENSIONS:** 26.75"W X 43.5"H X 18.75"D
- + **PINT CAPACITY:** 124 PINTS / 15.5 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL
- + **CONTROL:** LOW-VOLTAGE CONTROLLER REQUIRED

### ▶ ULTRA120



- + **MODEL:** 4031957
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.95 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 3,000 SQ. FT. / 30,000 CU. FT.
- + **DIMENSIONS:** 14.4"W X 21"H X 32.2"D
- + **PINT CAPACITY:** 121 PINTS / 15.125 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL
- + **CONTROL:** LOW-VOLTAGE CONTROLLER REQUIRED

### ▶ ULTRA155



- + **MODEL:** 4031070
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 3.4 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 3,500 SQ. FT. / 35,000 CU. FT.
- + **DIMENSIONS:** 20.25"W X 21.75"H X 41.5"D
- + **PINT CAPACITY:** 155 PINTS / 19.375 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL
- + **CONTROL:** LOW-VOLTAGE CONTROLLER REQUIRED

### ▶ ULTRA205



- + **MODEL:** 4031560
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.7 L/KWH
- + **FILTER:** MERV-13
- + **SIZING:** UP TO 5,000 SQ. FT. / 50,000 CU. FT.
- + **DIMENSIONS:** 20.25"W X 21.75"H X 41.5"D
- + **PINT CAPACITY:** 205 PINTS / 25.625 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** YES
- + **VENTILATION:** OPTIONAL
- + **CONTROL:** LOW-VOLTAGE CONTROLLER REQUIRED





The **UltraMD33** is the first true in-wall dehumidifier. Featuring a tamper-proof cover, this unit runs independently of the HVAC system and creates a comfortable, healthier living environment for residents. Ideal for apartments, ductless mini-split applications, basements, and other space dehumidification needs. The MD33 can also be installed on a wall with the Surface Mount Kit and partially through a wall with the Bezel Kit.

### ▶ **ULTRAMD33**



- + **MODEL:** 4035900
- + **OPERATING TEMPERATURE:** 49°F - 95°F
- + **ENERGY FACTOR:** 2.0 L/KWH
- + **FILTER:** WASHABLE
- + **SIZING:** UP TO 1,200 SQ. FT. / 12,000 CU. FT.
- + **DIMENSIONS:** 14.19"W X 30"H X 5.75"D
- + **PINT CAPACITY:** 33 PINTS / 4.125 GALLONS PER DAY
- + **HVAC SYSTEM INTEGRATION:** NO
- + **VENTILATION:** NO
- + **CONTROL:** ON-BOARD DEHUMIDISTAT

#### **SURFACE MOUNT KIT**

**PART NUMBER:** 4037766

The Ultra Series Surface Mount Kit can be used to permanently install the Ultra Series MD33 In-Wall Dehumidifier to masonry or CMU block when through-the-wall installation is not available.



#### **2X4 WALL MOUNTING BEZEL KIT**

**PART NUMBER:** 4037767

The Ultra Series 2X4 Wall Mounting Bezel Kit can be used to permanently install the Ultra Series MD33 In-Wall Dehumidifier in a 2X4 cavity without having to cut a hole in both sides of the drywall. The powder-coated metal bezel wraps around the front face of the dehumidifier giving it a completely polished look to blend into any environment.



# COMMITTED TO YOUR SUCCESS.

At Santa Fe, we are committed to partnering with you. After all, when you succeed, we succeed. And that's why we're with you every step of the way as you become a dealer of Santa Fe and our line of dehumidifiers.

#### **WHAT YOU CAN EXPECT FROM US**

- + Comprehensive product training
- + Application and installation guidance
- + Field service and warranty repairs
- + Marketing and product literature
- + Customer service excellence



#### **The Santa Fe Difference:**

- + **WARRANTY/QUALITY/LOW MAINTENANCE**  
Industry-Leading 6 Year Warranty
- + **AIR FILTRATION**  
Industry-Leading MERV 13 Filters

- + **ENERGY SAVINGS AND EFFICIENCY**  
Up to 36% More Efficient than Competitors
- + **SALES SUPPORT**  
Dedicated Support Nationwide
- + **HEADQUARTERED IN MADISON, WI**  
Engineered and Supported in the USA



## FILTERS

### ▶ COMPACT70 / ULTRA70



#### MERV-13

- + SIZE: 9" x 11" x 1"
- + PART NUMBER: 4037724
- + COMPATIBLE DEHUMIDIFIERS:
  - Compact70
  - Ultra70

### ▶ ADVANCE90 / ULTRA98 AND 120



#### MERV-13

- + SIZE: 14" x 17.5" x 1"
- + PART NUMBER: 4037722
- + COMPATIBLE DEHUMIDIFIERS:
  - Advance90
  - Ultra98
  - Ultra120

### ▶ OASIS105



#### MERV-13

- + SIZE: 14" x 12" x 1"
- + PART NUMBER: 4042005
- + COMPATIBLE DEHUMIDIFIERS:
  - Oasis105

### ▶ ULTRAMD33



#### WASHABLE

- + SIZE: 11" x 12.6" x 0.1"
- + PART NUMBER: 4037714
- + COMPATIBLE DEHUMIDIFIERS:
  - UltraMD33



#### PRE-FILTER

- + SIZE: 9" x 11" x .25"
- + PART NUMBER: 4027168
- + COMPATIBLE DEHUMIDIFIERS:
  - Compact70

### ▶ IMPACT155 / CLASSIC



#### MERV-13

- + SIZE: 16" x 20" x 2"
- + PART NUMBER: 4039391
- + COMPATIBLE DEHUMIDIFIERS:
  - Impact155
  - Classic

### ▶ ULTRA120V, 155 AND 205



#### MERV-13

- + SIZE: 16" x 20" x 2"
- + PART NUMBER: 4039391
- + COMPATIBLE DEHUMIDIFIERS:
  - Ultra120V
  - Ultra155
  - Ultra205

## INSTALLATION ACCESSORIES

### ▶ CONTROLS



#### DEH 3000 / 3000R

- + DEH 3000 PART NUMBER: 4028539
- + DEH 3000R PART NUMBER: 4028407
- + COMPATIBLE DEHUMIDIFIERS:
  - All Ultra Series except the UltraMD33

### ▶ HANG KITS



#### SMALL HANGING KIT

- + PART NUMBER: 4036695
- + COMPATIBLE DEHUMIDIFIERS:
  - Compact70
  - Advance90
  - Ultra70
  - Ultra98
  - Ultra120

### ▶ DEHUMIDIFIER RISERS



#### DEHUMIDIFIER RISERS

- + PART NUMBER: 4042109, 1-Pack
- + PART NUMBER: 4041602, 10-Pack
- + COMPATIBLE DEHUMIDIFIERS:
  - All except the Classic, Ultra 120V and UltraMD33

### ▶ CONDENSATE PUMPS



- + PART NUMBER: 4022220
- + COMPATIBLE DEHUMIDIFIERS:
  - All except the Ultra120V

### ▶ DUCT KITS



#### COMPACT SERIES

- + RETURN DUCT KIT PART NUMBER: 4030204
- + SUPPLY DUCT KIT PART NUMBER: 4030203
- + COMPATIBLE DEHUMIDIFIERS:
  - Compact70



#### IMPACT SERIES

- + RETURN DUCT KIT PART NUMBER: 4028610
- + SUPPLY DUCT KIT PART NUMBER: 4028607
- + COMPATIBLE DEHUMIDIFIERS:
  - Impact155



#### OASIS SERIES

- + SUPPLY DUCT KIT PART NUMBER: 4042275
- + COMPATIBLE DEHUMIDIFIERS:
  - Oasis105



#### CLASSIC SERIES






- + PART NUMBER: 4021453
- + COMPATIBLE DEHUMIDIFIERS:
  - Classic

Santa Fe dehumidifiers are equipped with the best filtration on the market. Our standard MERV-13 filters capture harmful contaminants in the air and keep the units running at peak efficiency.





# PRODUCT LINE UP

	COMPACT70	ADVANCE90	OASIS105	IMPACT155	CLASSIC
					
WATER REMOVAL*	70 PINTS/DAY 8.8 GALLONS/DAY	90 PINTS/DAY 11.3 GALLONS/DAY	105 PINTS/DAY 13.125 GALLONS/DAY	155 PINTS/DAY 19.4 GALLONS/DAY	110 PINTS/DAY 13.8 GALLONS/DAY
CURRENT DRAW	5.1 AMPS	5.7 AMPS	5.0 AMPS	8.0 AMPS	6.4 AMPS
EFFICIENCY	5.0 PINTS/KWH	6.1 PINTS/KWH	7.6 PINTS/KWH	7.3 PINTS/KWH	6.3 PINTS/KWH
ENERGY FACTOR	2.4 L/KWH	2.9 L/KWH	3.55 L/KWH	3.4 L/KWH	3.0 L/KWH
AIR FILTER	MERV 13	MERV 13	MERV 13	MERV 13	MERV 13
DIMENSIONS	12.0" W 12.0" H 21.0" D	14.5" W 19.4" H 26.0" D	24" W 14.5" H 16" D	21.3" W 21.8" H 38.0" D	20.0" W 36.0" H 17.0" D
WEIGHT	55 LBS.	80 LBS.	59 LBS.	140 LBS.	110 LBS.
WARRANTY	6 YEARS	6 YEARS	6 YEARS	6 YEARS	6 YEARS

### SIZED FOR CRAWL SPACES

TIGHTLY SEALED	UP TO 2,600 FT <sup>2</sup>	UP TO 3,000 FT <sup>2</sup>	UP TO 3,300 FT <sup>2</sup>	UP TO 4,400 FT <sup>2</sup>	N/A**
MODERATELY SEALED	UP TO 2,200 FT <sup>2</sup>	UP TO 2,600 FT <sup>2</sup>	UP TO 2,900 FT <sup>2</sup>	UP TO 4,000 FT <sup>2</sup>	N/A**
LOOSELY SEALED	UP TO 1,800 FT <sup>2</sup>	UP TO 2,200 FT <sup>2</sup>	UP TO 2,500 FT <sup>2</sup>	UP TO 3,600 FT <sup>2</sup>	N/A**





### SIZED FOR BASEMENTS




TIGHTLY SEALED	UP TO 2,200 FT <sup>2</sup>	UP TO 2,600 FT <sup>2</sup>	UP TO 2,600 FT <sup>2</sup>	UP TO 4,000 FT <sup>2</sup>	UP TO 2,900 FT <sup>2</sup>
MODERATELY SEALED	UP TO 2,000 FT <sup>2</sup>	UP TO 2,400 FT <sup>2</sup>	UP TO 2,400 FT <sup>2</sup>	UP TO 3,800 FT <sup>2</sup>	UP TO 2,700 FT <sup>2</sup>
LOOSELY SEALED	UP TO 1,800 FT <sup>2</sup>	UP TO 2,200 FT <sup>2</sup>	UP TO 2,200 FT <sup>2</sup>	UP TO 3,600 FT <sup>2</sup>	UP TO 2,500 FT <sup>2</sup>

\*At 80°F and 60% RH  
\*\* These units are not applicable to crawl spaces



# PRODUCT LINE UP

	<b>ULTRA70</b>	<b>ULTRA98</b>	<b>ULTRA120</b>	<b>ULTRA120V</b>
				
<b>WATER REMOVAL*</b>	<b>70</b> PINTS/DAY <b>8.75</b> GALLONS/DAY	<b>98</b> PINTS/DAY <b>12.25</b> GALLONS/DAY	<b>121</b> PINTS/DAY <b>15.125</b> GALLONS/DAY	<b>124</b> PINTS/DAY <b>15.5</b> GALLONS/DAY
<b>CURRENT DRAW</b>	<b>5.1</b> AMPS	<b>5.9</b> AMPS	<b>7.3</b> AMPS	<b>5.8</b> AMPS
<b>EFFICIENCY</b>	<b>5.0</b> PINTS/KWH	<b>6.1</b> PINTS/KWH	<b>6.1</b> PINTS/KWH	<b>7.6</b> PINTS/KWH
<b>ENERGY FACTOR</b>	<b>2.4</b> L/KWH	<b>2.95</b> L/KWH	<b>2.95</b> L/KWH	<b>3.6</b> L/KWH
<b>BLOWER</b>	<b>150 CFM</b> @ 0.0" WG <b>140 CFM</b> @ 0.2" WG <b>130 CFM</b> @ 0.4" WG	<b>320 CFM</b> @ 0.0" WG <b>297 CFM</b> @ 0.2" WG <b>215 CFM</b> @ 0.4" WG	<b>350 CFM</b> @ 0.0" WG <b>285 CFM</b> @ 0.2" WG <b>210 CFM</b> @ 0.4" WG	<b>445 CFM</b> @ 0.0" WG <b>390 CFM</b> @ 0.2" WG <b>360 CFM</b> @ 0.4" WG
<b>AIR FILTER</b>	<b>MERV-13</b>	<b>MERV-13</b>	<b>MERV-13</b>	<b>MERV-13</b>
<b>DIMENSIONS</b>	<b>12.0" W</b> <b>12.0" H</b> <b>28.0" D</b>	<b>14.5" W</b> <b>19.5" H</b> <b>32.4" D</b>	<b>14.4" W</b> <b>21.0" H</b> <b>32.2" D</b>	<b>26.8" W</b> <b>43.5" H</b> <b>18.8" D</b>
<b>WEIGHT</b>	<b>55</b> LBS.	<b>81</b> LBS.	<b>91</b> LBS.	<b>120</b> LBS.
<b>SIZING</b>	UP TO <b>1,800</b> FT. <sup>2</sup>	UP TO <b>2,300</b> FT. <sup>2</sup>	UP TO <b>3,000</b> FT. <sup>2</sup>	UP TO <b>3,000</b> FT. <sup>2</sup>
<b>WARRANTY</b>	<b>6</b> YEARS	<b>6</b> YEARS	<b>6</b> YEARS	<b>6</b> YEARS

	<b>ULTRA155</b>	<b>ULTRA205</b>	<b>ULTRAMD33</b>
			
<b>WATER REMOVAL*</b>	<b>155</b> PINTS/DAY <b>19.4</b> GALLONS/DAY	<b>205</b> PINTS/DAY <b>25.6</b> GALLONS/DAY	<b>33</b> PINTS/DAY <b>4.1</b> GALLONS/DAY
<b>CURRENT DRAW</b>	<b>8.0</b> AMPS	<b>13.2</b> AMPS	<b>2.8</b> AMPS
<b>EFFICIENCY</b>	<b>7.3</b> PINTS/KWH	<b>5.7</b> PINTS/KWH	<b>4.25</b> PINTS/KWH
<b>ENERGY FACTOR</b>	<b>3.4</b> L/KWH	<b>2.7</b> L/KWH	<b>2.0</b> L/KWH
<b>BLOWER</b>	<b>391 CFM</b> @ 0.0" WG <b>363 CFM</b> @ 0.2" WG <b>337 CFM</b> @ 0.4" WG	<b>526 CFM</b> @ 0.0" WG <b>495 CFM</b> @ 0.2" WG <b>458 CFM</b> @ 0.4" WG	<b>155 CFM</b> @ 0.0" WG
<b>AIR FILTER</b>	<b>MERV-13</b>	<b>MERV-13</b>	<b>WASHABLE</b>
<b>DIMENSIONS</b>	<b>20.3" W</b> <b>21.8" H</b> <b>41.5" D</b>	<b>20.3" W</b> <b>21.8" H</b> <b>41.5" D</b>	<b>14.2" W</b> <b>30.0" H</b> <b>5.8" D</b>
<b>WEIGHT</b>	<b>140</b> LBS.	<b>140</b> LBS.	<b>39</b> LBS.
<b>SIZING</b>	UP TO <b>3,500</b> FT. <sup>2</sup>	UP TO <b>5,000</b> FT. <sup>2</sup>	UP TO <b>1,200</b> FT. <sup>2</sup>
<b>WARRANTY</b>	<b>6</b> YEARS	<b>6</b> YEARS	<b>4</b> YEARS

## DUCT + VENTILATE.

The Ultra Series, formerly the Ultra Aire brand, focuses on providing dehumidification to the whole house or project. In addition, it provides the option to ventilate a home, with the purpose of maintaining a healthy and safe living environment.

\*At 80°F and 60% RH







**SANTA-FE™**  
INDOOR AIR QUALITY SOLUTIONS



**Contact us:**

Santa-Fe-Products.com or 800-533-7533

©2023 Therma-Stor LLC  
TS-1203 05/23 Rev D